

Examples of questions

The good answer is followed by an asterisk [*]

Which site design constraint is subject to environmental regulation?

- Elevation of ground water table
- Presence of fish or wildlife*
- Seismic conditions
- Soil bearing capacity

Which one of the following factors that determine the building design has the LEAST impact on the construction costs?

- The choice of the structural system
- The building height
- The setbacks*
- The owner's program

Which of the following elements would be subject to review during a value engineering study for a project?

- 1. Maintenance costs | 2. Life cycle objectives | 3. Design concepts | 4. Construction systems and techniques
- 2, 3
- 1, 2, 4
- 1, 3, 4
- 2, 3, 4
- 1, 2, 3, 4*

A staircase made of oak is permitted in a dwelling unit in a building required to be of noncombustible construction.

- True*
- False

NBC Reference: ___ NBC 3.1.5.9 _____

The centreline radius of a fire access route required by the building code must be a minimum of 10 m.

- True
- False*

NBC Reference: ___ NBC 3.2.5.6 (1) (b) _____

Which of the following standards applies to a standpipe system?

- CAN/ULC-S101
- CAN/ULC-S524
- NFPA 14*
- NFPA 96

Which one of the following is NOT part of the contract documents?

- Addendum
- Certificates
- Supplementary general conditions
- Specifications
- Bid security form*

What are the 3 parts of a NMS Specification section?

Answer: Part 1 General, Part 2 Products, Part 3 Execution